

PRODUCT INFORMATION SHEET



Name	PURO CONTOUR SQUARE 600
Type	pendent lamp
ID	PC1057



Description

Puro is a boldly minimalistic variation on atmospheric pendant lights. Inspiration for the collection and its name come from the Spanish word for "cigar", which also means "pure" and is a reference to the composition's clean lines. The diffused glow of the tubes to elicit a dynamic ambience, while the alternating gloss and matte finishes provide a degree of provocation. Puro offers atmospheric room lighting as well as lighting for offices, hospitality interiors, boutiques, showrooms and private dining areas.

Technical description

Glass Colour

triplex opal	A	CGC39
dark grey - opaline	B	CGC1507

Glass surface

acid-etched both side surface	A	CGSU881
-------------------------------	---	---------

Body finish

metal - black matte powder coating	A	CCS846
metal - white matte powder coating	A	CCS845

Canopy finish

metal - black matte powder coating	A	CCSC619
metal - white matte powder coating	A	CCSC618

Connection method

BROKIS connector	A	CCM1019
------------------	---	---------

Cable colour

textile cable - black	A	CECL519
textile cable - white	A	CECL521

LED Source

600mm 24V, LED, 9.5W, 2700K, 547lm, RA80+, DIM	A	LEDS1926
600mm 24V, LED, 9.5W, 4000K, 672lm, RA80+, DIM	A	LEDS1927
600mm 24V, LED, 9.5W, 5000K, 711lm, RA80+, DIM	A	LEDS1928

Dimmable version

non-dimmable version	A	CEDV1457
RF system - remote control version	A	CEDV1461
PWM signal	A	CEDV1459
1-10V	A	CEDV1460
DALI version	A	CEDV1458
AC phase-cut	A	CEDV1730

PRODUCT INFORMATION SHEET



Name PURO CONTOUR SQUARE 800

Type pendent lamp

ID PC1073



Description Puro is a boldly minimalistic variation on atmospheric pendant lights. Inspiration for the collection and its name come from the Spanish word for "cigar", which also means "pure" and is a reference to the composition's clean lines. The diffused glow of the tubes to elicit a dynamic ambience, while the alternating gloss and matte finishes provide a degree of provocation. Puro offers atmospheric room lighting as well as lighting for offices, hospitality interiors, boutiques, showrooms and private dining areas.

Technical description

Glass Colour

triplex opal	A	CGC39
dark grey - opaline	B	CGC1507

Glass surface

acid-etched both side surface	A	CGSU881
-------------------------------	---	---------

Body finish

metal - black matte powder coating	A	CCS846
metal - white matte powder coating	A	CCS845

Canopy finish

metal - black matte powder coating	A	CCSC619
metal - white matte powder coating	A	CCSC618

Connection method

BROKIS connector	A	CCM1019
------------------	---	---------

Cable colour

textile cable - black	A	CECL519
textile cable - white	A	CECL521

LED Source

800mm 24V, LED, 15W, 2700K, 880lm, RA80+, DIM	A	LEDS1929
800mm 24V, LED, 15W, 4000K, 1080lm, RA80+, DIM	A	LEDS1930
800mm 24V, LED, 15W, 5000K, 1145lm, RA80+, DIM	A	LEDS1931

Dimmable version

non-dimmable version	A	CEDV1457
RF system - remote control version	A	CEDV1461
PWM signal	A	CEDV1459
1-10V	A	CEDV1460
DALI version	A	CEDV1458
AC phase-cut	A	CEDV1730


PRODUCT INFORMATION SHEET



Name PURO CONTOUR TRIANGLE 800

Type pendent lamp

ID PC1118



Description Puro is a boldly minimalistic variation on atmospheric pendant lights. Inspiration for the collection and its name come from the Spanish word for "cigar", which also means "pure" and is a reference to the composition's clean lines. The diffused glow of the tubes to elicit a dynamic ambience, while the alternating gloss and matte finishes provide a degree of provocation. Puro offers atmospheric room lighting as well as lighting for offices, hospitality interiors, boutiques, showrooms and private dining areas.

Technical description

Glass Colour

triplex opal	A	CGC39
dark grey - opaline	B	CGC1507

Glass surface

acid-etched both side surface	A	CGSU881
-------------------------------	---	---------

Body finish

metal - black matte powder coating	A	CCS846
metal - white matte powder coating	A	CCS845

Canopy finish

metal - black matte powder coating	A	CCSC619
metal - white matte powder coating	A	CCSC618

Connection method

BROKIS connector	A	CCM1019
------------------	---	---------

Cable colour

textile cable - black	A	CECL519
textile cable - white	A	CECL521

LED Source

800mm 24V, LED, 15W, 2700K, 880lm, RA80+, DIM	A	LEDS1929
800mm 24V, LED, 15W, 4000K, 1080lm, RA80+, DIM	A	LEDS1930
800mm 24V, LED, 15W, 5000K, 1145lm, RA80+, DIM	A	LEDS1931

Dimmable version

non-dimmable version	A	CEDV1457
RF system - remote control version	A	CEDV1461
PWM signal	A	CEDV1459
1-10V	A	CEDV1460
DALI version	A	CEDV1458
AC phase-cut	A	CEDV1730

Name PURO CONTOUR PENTAGON 800

Type pendent lamp

ID PC1119



Description Puro is a boldly minimalistic variation on atmospheric pendant lights. Inspiration for the collection and its name come from the Spanish word for "cigar", which also means "pure" and is a reference to the composition's clean lines. The diffused glow of the tubes to elicit a dynamic ambience, while the alternating gloss and matte finishes provide a degree of provocation. Puro offers atmospheric room lighting as well as lighting for offices, hospitality interiors, boutiques, showrooms and private dining areas.

Technical description

Glass Colour

triplex opal	A	CGC39
dark grey - opaline	B	CGC1507

Glass surface

acid-etched both side surface	A	CGSU881
-------------------------------	---	---------

Body finish

metal - black matte powder coating	A	CCS846
metal - white matte powder coating	A	CCS845

Canopy finish

metal - black matte powder coating	A	CCSC619
metal - white matte powder coating	A	CCSC618

Connection method

BROKIS connector	A	CCM1019
------------------	---	---------

Cable colour

textile cable - black	A	CECL519
textile cable - white	A	CECL521

LED Source

800mm 24V, LED, 15W, 2700K, 880lm, RA80+, DIM	A	LEDS1929
800mm 24V, LED, 15W, 4000K, 1080lm, RA80+, DIM	A	LEDS1930
800mm 24V, LED, 15W, 5000K, 1145lm, RA80+, DIM	A	LEDS1931

Dimmable version

non-dimmable version	A	CEDV1457
RF system - remote control version	A	CEDV1461
PWM signal	A	CEDV1459
1-10V	A	CEDV1460
DALI version	A	CEDV1458
AC phase-cut	A	CEDV1730

PRODUCT INFORMATION SHEET



Name PURO CONTOUR HEXAGON 800

Type pendent lamp

ID PC1120



Description Puro is a boldly minimalistic variation on atmospheric pendant lights. Inspiration for the collection and its name come from the Spanish word for "cigar", which also means "pure" and is a reference to the composition's clean lines. The diffused glow of the tubes to elicit a dynamic ambience, while the alternating gloss and matte finishes provide a degree of provocation. Puro offers atmospheric room lighting as well as lighting for offices, hospitality interiors, boutiques, showrooms and private dining areas.

Technical description

Glass Colour

triplex opal	A	CGC39
dark grey - opaline	B	CGC1507

Glass surface

acid-etched both side surface	A	CGSU881
-------------------------------	---	---------

Body finish

metal - black matte powder coating	A	CCS846
metal - white matte powder coating	A	CCS845

Canopy finish

metal - black matte powder coating	A	CCSC619
metal - white matte powder coating	A	CCSC618

Connection method

BROKIS connector	A	CCM1019
------------------	---	---------

Cable colour

textile cable - black	A	CECL519
textile cable - white	A	CECL521

LED Source

800mm 24V, LED, 15W, 2700K, 880lm, RA80+, DIM	A	LEDS1929
800mm 24V, LED, 15W, 4000K, 1080lm, RA80+, DIM	A	LEDS1930
800mm 24V, LED, 15W, 5000K, 1145lm, RA80+, DIM	A	LEDS1931

Dimmable version

non-dimmable version	A	CEDV1457
RF system - remote control version	A	CEDV1461
PWM signal	A	CEDV1459
1-10V	A	CEDV1460
DALI version	A	CEDV1458
AC phase-cut	A	CEDV1730

PRODUCT INFORMATION SHEET



Name PURO CONTOUR TRIANGLE 600

Type pendent lamp

ID PC1133



Description Puro is a boldly minimalistic variation on atmospheric pendant lights. Inspiration for the collection and its name come from the Spanish word for "cigar", which also means "pure" and is a reference to the composition's clean lines. The diffused glow of the tubes to elicit a dynamic ambience, while the alternating gloss and matte finishes provide a degree of provocation. Puro offers atmospheric room lighting as well as lighting for offices, hospitality interiors, boutiques, showrooms and private dining areas.

Technical description

Glass Colour

triplex opal	A	CGC39
dark grey - opaline	B	CGC1507

Glass surface

acid-etched both side surface	A	CGSU881
-------------------------------	---	---------

Body finish

metal - black matte powder coating	A	CCS846
metal - white matte powder coating	A	CCS845

Canopy finish

metal - black matte powder coating	A	CCSC619
metal - white matte powder coating	A	CCSC618

Connection method

BROKIS connector	A	CCM1019
------------------	---	---------

Cable colour

textile cable - black	A	CECL519
textile cable - white	A	CECL521

LED Source

600mm 24V, LED, 9.5W, 2700K, 547lm, RA80+, DIM	A	LEDS1926
600mm 24V, LED, 9.5W, 4000K, 672lm, RA80+, DIM	A	LEDS1927
600mm 24V, LED, 9.5W, 5000K, 711lm, RA80+, DIM	A	LEDS1928

Dimmable version

non-dimmable version	A	CEDV1457
RF system - remote control version	A	CEDV1461
PWM signal	A	CEDV1459
1-10V	A	CEDV1460
DALI version	A	CEDV1458
AC phase-cut	A	CEDV1730

PRODUCT INFORMATION SHEET



Name	PURO CONTOUR PENTAGON 600
Type	pendent lamp
ID	PC1135



Description

Puro is a boldly minimalistic variation on atmospheric pendant lights. Inspiration for the collection and its name come from the Spanish word for "cigar", which also means "pure" and is a reference to the composition's clean lines. The diffused glow of the tubes to elicit a dynamic ambience, while the alternating gloss and matte finishes provide a degree of provocation. Puro offers atmospheric room lighting as well as lighting for offices, hospitality interiors, boutiques, showrooms and private dining areas.

Technical description

Glass Colour

triplex opal	A	CGC39
dark grey - opaline	B	CGC1507

Glass surface

acid-etched both side surface	A	CGSU881
-------------------------------	---	---------

Body finish

metal - black matte powder coating	A	CCS846
metal - white matte powder coating	A	CCS845

Canopy finish

metal - black matte powder coating	A	CCSC619
metal - white matte powder coating	A	CCSC618

Connection method

BROKIS connector	A	CCM1019
------------------	---	---------

Cable colour

textile cable - black	A	CECL519
textile cable - white	A	CECL521

LED Source

600mm 24V, LED, 9.5W, 2700K, 547lm, RA80+, DIM	A	LEDS1926
600mm 24V, LED, 9.5W, 4000K, 672lm, RA80+, DIM	A	LEDS1927
600mm 24V, LED, 9.5W, 5000K, 711lm, RA80+, DIM	A	LEDS1928

Dimmable version

non-dimmable version	A	CEDV1457
RF system - remote control version	A	CEDV1461
PWM signal	A	CEDV1459
1-10V	A	CEDV1460
DALI version	A	CEDV1458
AC phase-cut	A	CEDV1730

PRODUCT INFORMATION SHEET



Name PURO CONTOUR HEXAGON 600

Type pendent lamp

ID PC1137



Description Puro is a boldly minimalistic variation on atmospheric pendant lights. Inspiration for the collection and its name come from the Spanish word for "cigar", which also means "pure" and is a reference to the composition's clean lines. The diffused glow of the tubes to elicit a dynamic ambience, while the alternating gloss and matte finishes provide a degree of provocation. Puro offers atmospheric room lighting as well as lighting for offices, hospitality interiors, boutiques, showrooms and private dining areas.

Technical description

Glass Colour

triplex opal	A	CGC39
dark grey - opaline	B	CGC1507

Glass surface

acid-etched both side surface	A	CGSU881
-------------------------------	---	---------

Body finish

metal - black matte powder coating	A	CCS846
metal - white matte powder coating	A	CCS845

Canopy finish

metal - black matte powder coating	A	CCSC619
metal - white matte powder coating	A	CCSC618

Connection method

BROKIS connector	A	CCM1019
------------------	---	---------

Cable colour

textile cable - black	A	CECL519
textile cable - white	A	CECL521

LED Source

600mm 24V, LED, 9.5W, 2700K, 547lm, RA80+, DIM	A	LEDS1926
600mm 24V, LED, 9.5W, 4000K, 672lm, RA80+, DIM	A	LEDS1927
600mm 24V, LED, 9.5W, 5000K, 711lm, RA80+, DIM	A	LEDS1928

Dimmable version

non-dimmable version	A	CEDV1457
RF system - remote control version	A	CEDV1461
PWM signal	A	CEDV1459
1-10V	A	CEDV1460
DALI version	A	CEDV1458
AC phase-cut	A	CEDV1730