

Name	PURO SINGLE HORIZONTAL 600		
Туре	pendent lamp		
ID	PC1010		
Description	Puro is a boldly minimalistic variation on atmospheric pendant lights. Inspiration for the spanish word for "cigar", which also means "pure" and is a reference to the composition comprises of single vertical or horizontal tube or a single bell light suspende lights suspended beneath a horizontal tube. The diffused glow of the tubes combines v dynamic ambience, while the alternating gloss and matte finishes provide a degree of p single tubes, amazing installations can be created, such as a composition of tubes co evoking an intimate atmosphere bordering on scenography. Puro offers atmospheric reconfices, hospitality interiors, boutiques, showrooms and private dining areas.	sition's c d beneat with that o provocatio pupled to a	lean lines. The Puro h a vertical tube and dual bell of the bells to elicit a on. When standing alone as a screen d ividing space and
Technical description	The craftsmanship applied in production follows in the centuries-old tradition and exper precision crafting of hand-blown glass instill s distinctive, enduring character and outsta The glass shades are formed from multiple layers of molten glass, each of which is sc prior to being blown into the mold. Up to 70% of the resulting quality is achieved in this	anding qu rutinized	ality in all Brokis products. by the master glassmaker
Glass Colour			
triplex opal		А	CGC39
dark grey - opaline		В	CGC1507
Glass surface			
acid-etched both side surfa	ace	А	CGSU881
Body finish			
metal - black matte powder	r coating	А	CCS846
metal - white matte powder	coating	Α	CCS845
<u>Canopy finish</u>			
glass - black			CCSC2404
glass - white		A	CCSC2403
Connection method			
BROKIS connector		A	CCM1019
Cable colour			
textile cable - black		Α	CECL519
textile cable - white		Α	CECL521
LED Source			
600mm 24V, LED, 9.5W, 2	2700K, 547lm, RA80+, DIM	А	LEDS1926
600mm 24V, LED, 9.5W, 4			LEDS1927
600mm 24V, LED, 9.5W, 5	5000K, 711lm, RA80+, DIM	A	LEDS1928

+61 8 9389 6669 info@henriliving.com.au 245 Stirling Hwy, Claremont WA 6010

non-dimmable version	A CEDV1457
RF system - remote control version	A CEDV1461
PWM signal	A CEDV1459
1-10V	A CEDV1460
DALIversion	A CEDV1458
AC phase-cut	A CEDV1730





Name	PURO SINGLE HORIZONTAL 800		
Туре	pendent lamp		
ID	PC1011		3
Description Technical description	Puro is a boldly minimalistic variation on atmospheric pendant lights. Inspiration for the Spanish word for "cigar", which also means "pure" and is a reference to the complexement collection comprises of single vertical or horizontal tube or a single bell light suspendights suspended beneath a horizontal tube. The diffused glow of the tubes combines dynamic ambience, while the alternating gloss and matter finishes provide a degree of single tubes, amazing installations can be created, such as a composition of tubes of evoking an intimate atmosphere bordering on scenography. Puro offers atmospheric offices, hospitality interiors, boutiques, showrooms and private dining areas.	position's cl ded beneat with that of f provocatio coupled to room lighti erience of standing qu	lean lines. The Puro h a vertical tube and dual bell of the bells to elicit a on. When standing alone as a screen d ividing space and ng as well as lighting for master glassmakers. The uality in all Brokis products.
	The glass shades are formed from multiple layers of molten glass, each of which is s prior to being blown into the mold. Up to 70% of the resulting quality is achieved in the		
Glass Colour			
triplex opal		А	CGC39
dark grey - opaline		В	CGC1507
Glass surface			
acid-etched both side surfa	ace	А	CGSU881
Body finish			
metal - black matte powder	coating	А	CCS846
metal - white matte powder	coating	A	CCS845
<u>Canopy finish</u>			
glass - black			CCSC2404
glass - white		A	CCSC2403
Connection method			
BROKIS connector		A	CCM1019
Cable colour			
textile cable - black			CECL519
textile cable - white		Α	CECL521
LED Source			
800mm 24V, LED, 15W, 2	700K, 880lm, RA80+, DIM	А	LEDS1929
	000K, 1080lm, RA80+, DIM		LEDS1930
800mm 24V, LED, 15W, 50	000K, 1145lm, RA80+, DIM	A	LEDS1931

+61 8 9389 6669 info@henriliving.com.au 245 Stirling Hwy, Claremont WA 6010

non-dimmable version	A CEDV1457
RF system - remote control version	A CEDV1461
PWM signal	A CEDV1459
1-10V	A CEDV1460
DALIversion	A CEDV1458
AC phase-cut	A CEDV1730





Name	PURO SINGLE HORIZONTAL 1000		
Туре	pendent lamp		
		ļ	
ID	PC1012		
Description	Puro is a boldly minimalistic variation on atmospheric pendant lights. Inspiration for the Spanish word for "cigar", which also means "pure" and is a reference to the comp collection comprises of single vertical or horizontal tube or a single bell light suspended beneath a horizontal tube. The diffused glow of the tubes combines dynamic ambience, while the alternating gloss and matte finishes provide a degree or single tubes, amazing installations can be created, such as a composition of tubes of fices, hospitality interiors, boutiques, showrooms and private dining areas.	position's c ded beneat s with that o of provocatio coupled to room lighti	ean lines. The Puro h a vertical tube and dual bell of the bells to elicit a on. When standing alone as a screen dividing space and ng as well as lighting for
Technical description	The craftsmanship applied in production follows in the centuries-old tradition and exp precision crafting of hand-blown glass instil Is distinctive, enduring character and outs The glass shades are formed from multiple layers of molten glass, each of which is s prior to being blown into the mold. Up to 70% of the resulting quality is achieved in the	standing qu scrutinized	ality in all Brokis products. by the master glassmaker
Glass Colour			
triplex opal		А	CGC39
dark grey - opaline		В	CGC1507
Glass surface			
acid-etched both side surfa	ace	А	CGSU881
Body finish			
metal - black matte powder	r coating	А	CCS846
metal - white matte powder	coating	A	CCS845
<u>Canopy finish</u>			
glass - black			CCSC2404
glass - white		A	CCSC2403
Connection method			
BROKIS connector		A	CCM1019
Cable colour			
textile cable - black			CECL519
textile cable - white		A	CECL521
LED Source			
	/, 2700K, 1035lm, RA80+, DIM		LEDS1932
	/, 4000K, 1270lm, RA80+, DIM		LEDS1933
1000mm 24V, LED, 17.5W	/, 5000K, 1346lm, RA80+, DIM	A	LEDS1934

+61 8 9389 6669 info@henriliving.com.au 245 Stirling Hwy, Claremont WA 6010

non-dimmable version	A CEDV1457
RF system - remote control version	A CEDV1461
PWM signal	A CEDV1459
1-10V	A CEDV1460
DALIversion	A CEDV1458
AC phase-cut	A CEDV1730





Name	PURO SINGLE VERTICAL 600		
Туре	pendent lamp	-	
ID	PC1013		
Description	Puro is a boldly minimalistic variation on atmospheric pendant lights. Inspiration for the of the Spanish word for "cigar", which also means "pure" and is a reference to the composit collection comprises of single vertical or horizontal tube or a single bell light suspended lights suspended beneath a horizontal tube. The diffused glow of the tubes combines wit dynamic ambience, while the alternating gloss and matte finishes provide a degree of pro- single tubes, amazing installations can be created, such as a composition of tubes coup evoking an intimate atmosphere bordering on scenography. Puro offers atmospheric roor offices, hospitality interiors, boutiques, showrooms and private dining areas.	ion's cl beneat h that o vocatio led to a	ean lines. The Puro h a vertical tube and dual bell of the bells to elicit a on. When standing alone as a screen dividing space and
Technical description	The craftsmanship applied in production follows in the centuries-old tradition and experied precision crafting of hand-blown glass instills distinctive, enduring character and outstand. The glass shades are formed from multiple layers of molten glass, each of which is scrub prior to being blown into the mold. Up to 70% of the resulting quality is achieved in this s	ding qu tinized	ality in all Brokis products. by the master glassmaker
Glass Colour			
triplex opal			CGC39
dark grey - opaline		В	CGC1507
Glass surface			
acid-etched both side surfa	ace	А	CGSU881
Body finish			
metal - black matte powder	-	Α	CCS846
metal - white matte powder	coating	A	CCS845
<u>Canopy finish</u>			
glass - black			CCSC2404
glass - white		A	CCSC2403
Connection method			
BROKIS connector		А	CCM1019
Cable colour			
textile cable - black		А	CECL519
textile cable - white		А	CECL521
LED Source			
600mm 24V, LED, 9.5W, 2	2700K, 547lm, RA80+, DIM	Α	LEDS1926
600mm 24V, LED, 9.5W, 4			LEDS1927
600mm 24V, LED, 9.5W, 5	5000K, 711lm, RA80+, DIM	А	LEDS1928

+61 8 9389 6669 info@henriliving.com.au 245 Stirling Hwy, Claremont WA 6010

non-dimmable version	A CEDV1457
RF system - remote control version	A CEDV1461
PWM signal	A CEDV1459
1-10V	A CEDV1460
DALIversion	A CEDV1458
AC phase-cut	A CEDV1730





Name	PURO SINGLE VERTICAL 800		
Туре	pendent lamp		
ID	PC1014		
Description	Puro is a boldly minimalistic variation on atmospheric pendant lights. Inspiration for the Spanish word for "cigar", which also means "pure" and is a reference to the com collection comprises of single vertical or horizontal tube or a single bell light susper lights suspended beneath a horizontal tube. The diffused glow of the tubes combine dynamic ambience, while the alternating gloss and matte finishes provide a degree single tubes, amazing installations can be created, such as a composition of tubes evoking an intimate atmosphere bordering on scenography. Puro offers atmospheric offices, hospitality interiors, boutiques, showrooms and private dining areas.	position's c aded beneat s with that of provocation coupled to	lean lines. The Puro h a vertical tube and dual bell of the bells to elicit a on. When standing alone as a screen dividing space and
Technical description	The craftsmanship applied in production follows in the centuries-old tradition and exprecision crafting of hand-blown glass instills distinctive, enduring character and out The glass shades are formed from multiple layers of molten glass, each of which is prior to being blown into the mold. Up to 70% of the resulting quality is achieved in t	standing qu scrutinized	ality in all Brokis products. by the master glassmaker
Glass Colour			
triplex opal		А	CGC39
dark grey - opaline		В	CGC1507
Glass surface			
acid-etched both side surfa	ace	А	CGSU881
Body finish			
metal - black matte powder	r coating	А	CCS846
metal - white matte powder	coating	A	CCS845
Canopy finish			
glass - black			CCSC2404
glass - white		А	CCSC2403
Connection method			
BROKIS connector		А	CCM1019
Cable colour			
textile cable - black		А	CECL519
textile cable - white		А	CECL521
LED Source			
800mm 24V, LED, 15W, 2	700K, 880lm, RA80+, DIM	А	LEDS1929
	000K, 1080lm, RA80+, DIM		LEDS1930
800mm 24V, LED, 15W, 50	000K, 1145lm, RA80+, DIM	A	LEDS1931

+61 8 9389 6669 info@henriliving.com.au 245 Stirling Hwy, Claremont WA 6010

non-dimmable version	A CEDV1457
RF system - remote control version	A CEDV1461
PWM signal	A CEDV1459
1-10V	A CEDV1460
DALIversion	A CEDV1458
AC phase-cut	A CEDV1730





Name	PURO SINGLE VERTICAL 1000		
Туре	pendent lamp		
ID	PC1015		
Description	Puro is a boldly minimalistic variation on atmospheric pendant lights. Inspiration for t the Spanish word for "cigar", which also means "pure" and is a reference to the comp collection comprises of single vertical or horizontal tube or a single bell light suspend lights suspended beneath a horizontal tube. The diffused glow of the tubes combines dynamic ambience, while the alternating gloss and matte finishes provide a degree or single tubes, amazing installations can be created, such as a composition of tubes or evoking an intimate atmosphere bordering on scenography. Puro offers atmospheric offices, hospitality interiors, boutiques, showrooms and private dining areas.	osition's cl ded beneati with that of provocatio coupled to room lightin	ean lines. The Puro h a vertical tube and dual bell of the bells to elicit a on. When standing alone as a screen di viding space and ng as well as lighting for
Technical description	The craftsmanship applied in production follows in the centuries-old tradition and exp precision crafting of hand-blown glass instills distinctive, enduring character and outs The glass shades are formed from multiple layers of molten glass, each of which is s prior to being blown into the mold. Up to 70% of the resulting quality is achieved in the the statement of the mold.	standing qu	ality in all Brokis products. by the master glassmaker
Glass Colour			
triplex opal		А	CGC39
dark grey - opaline		В	CGC1507
Glass surface			
acid-etched both side surfa	ace	А	CGSU881
Body finish			
metal - black matte powder	r coating	А	CCS846
metal - white matte powder	coating	Α	CCS845
<u>Canopy finish</u>			
glass - black			CCSC2404
glass - white		A	CCSC2403
Connection method			
BROKIS connector		A	CCM1019
Cable colour			
textile cable - black		Α	CECL519
textile cable - white		Α	CECL521
LED Source			
	/, 2700K, 1035lm, RA80+, DIM	А	LEDS1932
	/, 4000K, 1270lm, RA80+, DIM		LEDS1933
1000mm 24V, LED, 17.5W	/, 5000K, 1346lm, RA80+, DIM	A	LEDS1934

+61 8 9389 6669 info@henriliving.com.au 245 Stirling Hwy, Claremont WA 6010

non-dimmable version	A CEDV1457
RF system - remote control version	A CEDV1461
PWM signal	A CEDV1459
1-10V	A CEDV1460
DALIversion	A CEDV1458
AC phase-cut	A CEDV1730





Name Type	PURO SINGLE VERTICAL 400 pendent lamp			
ID	PC1157			
Description	Puro is a boldly minimalistic variation on atmospheric pendant lights. Inspiration for the collection and its name come from the Spanish word for "cigar", which also means "pure" and is a reference to the composition's clean lines. The Puro collection comprises of single vertical or horizontal tube or a single bell light suspended beneath a vertical tube and dual bell lights suspended beneath a horizontal tube. The diffused glow of the tubes combines with that of the bells to elicit a dynamic ambience, while the alternating gloss and matte finishes provide a degree of provocation. When standing alone as single tubes, amazing installations can be created, such as a composition of tubes coupled to a screen dividing space and evoking an intimate atmosphere bordering on scenography. Puro offers atmospheric room lighting as well as lighting for offices, hospitality interiors, boutiques, showrooms and private dining areas.			
Technical description	The craftsmanship applied in production follows in the centuries-old tradition and experie precision crafting of hand-blown glass instills distinctive, enduring character and outstar The glass shades are formed from multiple layers of molten glass, each of which is son prior to being blown into the mold. Up to 70% of the resulting quality is achieved in this	nding qu utinized	ality in all Brokis products. by the master glassmaker	
Glass Colour				
triplex opal		А	CGC39	
dark grey - opaline		В	CGC1507	
Glass surface				
acid-etched both side surfa	ace	Α	CGSU881	
Body finish				
metal - black matte powder	r coating	Α	CCS846	
metal - white matte powder	r coating	Α	CCS845	
Canopy finish				
glass - black		Α	CCSC2404	
glass - white		A	CCSC2403	
Connection method				
BROKIS connector		Α	CCM1019	
Cable colour				
textile cable - black		Α	CECL519	
textile cable - white		Α	CECL521	
LED Source				
400mm 24V, LED, 7,5W, 2	2700K, 550lm, RA80+, DIM	Α	LEDS2744	
	4000K, 550lm, RA80+, DIM		LEDS2745	
400mm 24V, LED, 7,5W, 5	5000K, 550lm, RA80+, DIM	A	LEDS2746	

+61 8 9389 6669 info@henriliving.com.au 245 Stirling Hwy, Claremont WA 6010

non-dimmable version	A CEDV1457
RF system - remote control version	A CEDV1461
PWM signal	A CEDV1459
1-10V	A CEDV1460
DALIversion	A CEDV1458
AC phase-cut	A CEDV1730





Name Type	PURO SINGLE HORIZONTAL 400 pendent lamp		
ID	PC1158		
Description	Puro is a boldly minimalistic variation on atmospheric pendant lights. Inspiration for the Spanish word for "cigar", which also means "pure" and is a reference to the comp collection comprises of single vertical or horizontal tube or a single bell light suspende lights suspended beneath a horizontal tube. The diffused glow of the tubes combines dynamic ambience, while the alternating gloss and matte finishes provide a degree of single tubes, amazing installations can be created, such as a composition of tubes control of fices, hospitality interiors, boutiques, showrooms and private dining areas.	osition's cl led beneatl with that c f provocatic coupled to a	ean lines. The Puro h a vertical tube and dual bell of the bells to elicit a on. When standing alone as a screen dividing space and
Technical description	The craftsmanship applied in production follows in the centuries-old tradition and exp precision crafting of hand-blown glass instill s distinctive, enduring character and outs The glass shades are formed from multiple layers of molten glass, each of which is s prior to being blown into the mold. Up to 70% of the resulting quality is achieved in the	tanding qu crutinized	ality in all Brokis products. by the master glassmaker
Glass Colour			
triplex opal		А	CGC39
dark grey - opaline		В	CGC1507
Glass surface			
acid-etched both side surface		А	CGSU881
Body finish			
metal - black matte powder	r coating	А	CCS846
metal - white matte powder	r coating	A	CCS845
<u>Canopy finish</u>			
glass - black			CCSC2404
glass - white		A	CCSC2403
Connection method			
BROKIS connector		A	CCM1019
Cable colour			
textile cable - black			CECL519
textile cable - white		A	CECL521
LED Source			
	2700K, 550lm, RA80+, DIM		LEDS2744
	4000K, 550lm, RA80+, DIM		LEDS2745
40011111 24 V, LED, 7,3VV, 5	5000K, 550lm, RA80+, DIM	А	LEDS2746

+61 8 9389 6669 info@henriliving.com.au 245 Stirling Hwy, Claremont WA 6010

non-dimmable version	A CEDV1457
RF system - remote control version	A CEDV1461
PWM signal	A CEDV1459
1-10V	A CEDV1460
DALIversion	A CEDV1458
AC phase-cut	A CEDV1730

