

SANDERS AIR SOFA

DITRE ITALIA

Available in a range of configurations & finishes


Sanders evolves into the Air version: raised from the floor on an elegant, metal base, it takes on an exclusive personality that preserves its versatility.

Sanders Air can be used to stylishly and elegantly furnish domestic and hospitality spaces such as lounges, waiting rooms and executive offices thanks to its ability to offer two-sided arrangements.




SANDERS AIR

Cod. C2R00




↔ 174 cm ↘ 124cm ↓ 73cm
 ☐ 1,13 m³ ▲ 69kg ↻ 7,1mt

Cod. C2R0G




↔ 199 cm ↘ 124cm ↓ 73cm
 ☐ 1,36 m³ ▲ 86kg ↻ 8,7mt

Cod. C3R00




↔ 224 cm ↘ 124cm ↓ 73cm
 ☐ 1,52 m³ ▲ 92kg ↻ 8,7mt

Cod. C3R0M




↔ 248 cm ↘ 124cm ↓ 73cm
 ☐ 1,74 m³ ▲ 108kg ↻ 8,7mt

Cod. C1Q00




↔ 124 cm ↘ 124cm ↓ 73cm
 ☐ 0,87 m³ ▲ 56kg ↻ 7,1mt

Cod. C2R0T0




↔ 174 cm ↘ 124cm ↓ 73cm
 ☐ 1,13 m³ ▲ 69kg ↻ 7,1mt

Cod. C2R0G




↔ 199 cm ↘ 124cm ↓ 73cm
 ☐ 1,36 m³ ▲ 86kg ↻ 8,7mt

Cod. C3R0T0




↔ 224 cm ↘ 124cm ↓ 73cm
 ☐ 1,52 m³ ▲ 92kg ↻ 8,7mt

Cod. C3R0T0




↔ 248 cm ↘ 124cm ↓ 73cm
 ☐ 1,74 m³ ▲ 108kg ↻ 8,7mt

Cod. C1Q0T0




↔ 124 cm ↘ 124cm ↓ 73cm
 ☐ 0,87 m³ ▲ 56kg ↻ 7,1mt

Cod. U2R00



↔ 174 cm ↘ 124cm ↓ 41cm
 ☐ 0,91 m³ ▲ 51kg ↻ 5,5mt

Cod. U2R0G




↔ 199 cm ↘ 124cm ↓ 41cm
 ☐ 1,04 m³ ▲ 58kg ↻ 5,5mt

Cod. U3R00



↔ 224 cm ↘ 124cm ↓ 41cm
 ☐ 1,20 m³ ▲ 65kg ↻ 5,5mt


Cod. U3R0M



↔ 248 cm ↘ 124cm ↓ 41cm
 ☐ 1,30 m³ ▲ 71kg ↻ 5,5mt


SANDERS AIR

Cod. U1Q00




↔ 124 cm ↘ 124cm ↓ 41cm
 ☐ 0,65 m³ ⚖ 38kg 🌀 3,2mt

Cod. U2RT0



↔ 174 cm ↘ 124cm ↓ 41cm
 ☐ 0,91 m³ ⚖ 51kg 🌀 5,5mt

Cod. U2RTG




↔ 199 cm ↘ 124cm ↓ 41cm
 ☐ 1,04 m³ ⚖ 58kg 🌀 5,5mt

Cod. U3RT0




↔ 224 cm ↘ 124cm ↓ 41cm
 ☐ 1,20 m³ ⚖ 65kg 🌀 5,5mt

Cod. U3RTM




↔ 248 cm ↘ 124cm ↓ 41cm
 ☐ 1,30 m³ ⚖ 71kg 🌀 5,5mt

Cod. U1QT0




↔ 124 cm ↘ 124cm ↓ 41cm
 ☐ 0,65 m³ ⚖ 38kg 🌀 3,2mt

Cod. ZH075




↔ 75 cm ↘ 33cm ↓ 35cm
 ☐ 0,16 m³ ⚖ 14kg 🌀 1,6mt

Cod. ZH105




↔ 105 cm ↘ 33cm ↓ 35cm
 ☐ 0,22 m³ ⚖ 18kg 🌀 1,6mt

Cod. ZS075




↔ 75 cm ↘ 33cm ↓ 35cm
 ☐ 0,16 m³ ⚖ 14kg 🌀

Cod. ZS105




↔ 105 cm ↘ 33cm ↓ 35cm
 ☐ 0,22 m³ ⚖ 18kg 🌀

Cod. ZM075



↔ 75 cm ↘ 33cm ↓ 35cm
 ☐ 0,16 m³ ⚖ 14kg 🌀 0,8mt

Cod. ZM105



↔ 105 cm ↘ 33cm ↓ 35cm
 ☐ 0,22 m³ ⚖ 18kg 🌀 0,8mt

Cod. ZC0C1



C1

↔ 55 cm ↘ 15cm ↓ 55cm
 ☐ 0,06 m³ ⚖ 2kg 🌀 0,9mt

Cod. ZC0C2



C2

↔ 45 cm ↘ 15cm ↓ 45cm
 ☐ 0,04 m³ ⚖ 1,5kg 🌀 0,7mt

Cod. ZC0H3



H3

↔ 45 cm ↘ 15cm ↓ 35cm
 ☐ 0,02 m³ ⚖ 0,7kg 🌀 0,6mt

Cod. ZC0H4



H4

↔ 50 cm ↘ 15cm ↓ 25cm
 ☐ 0,02 m³ ⚖ 1kg 🌀 0,6mt

Cod. ZC0H5



H5

↔ 45 cm ↘ 15cm ↓ 36cm
 ☐ 0,03 m³ ⚖ 0,5kg 🌀 0,7mt

Cod. ZC0C6



C6

↔ 50 cm ↘ 15cm ↓ 50cm
 ☐ 0,05 m³ ⚖ 1,5kg 🌀 0,9mt


Cod. ZCB00



CB


↔ 32 cm ↘ 55cm ↓ 15cm
 ☐ 0,04 m³ ⚖ 3kg 🌀 0,8mt

Cod. K0004




↔ 298 cm ↘ 174cm ↓ 73cm
 ☐ 2,51 m³ ⚖ 151kg 🌀 19,3mt

Cod. K0005



↔ 348 cm ↘ 224cm ↓ 73cm
 ☐ 3,04 m³ ⚖ 185kg 🌀 17,4mt


Cod. K0006



↔ 323 cm ↘ 248cm ↓ 73cm
 ☐ 3,47 m³ ⚖ 208kg 🌀 24,3mt


SANDERS AIR MIX

Cod. C2R00




↔ 174 cm ↘ 124cm ↓ 73cm
 ☐ 1,13 m³ △ 69kg ↻ 7,1mt

Cod. C2R0G




↔ 199 cm ↘ 124cm ↓ 73cm
 ☐ 1,36 m³ △ 86kg ↻ 8,7mt

Cod. C3R00




↔ 224 cm ↘ 124cm ↓ 73cm
 ☐ 1,52 m³ △ 92kg ↻ 8,7mt

Cod. C3R0M




↔ 248 cm ↘ 124cm ↓ 73cm
 ☐ 1,74 m³ △ 108kg ↻ 8,7mt

Cod. C1Q00




↔ 124 cm ↘ 124cm ↓ 73cm
 ☐ 0,87 m³ △ 56kg ↻ 7,1mt

Cod. C2RT0




↔ 174 cm ↘ 124cm ↓ 73cm
 ☐ 1,13 m³ △ 69kg ↻ 7,1mt

Cod. C2RTG




↔ 199 cm ↘ 124cm ↓ 73cm
 ☐ 1,36 m³ △ 86kg ↻ 8,7mt

Cod. C3RT0




↔ 224 cm ↘ 124cm ↓ 73cm
 ☐ 1,52 m³ △ 92kg ↻ 8,7mt

Cod. C3RTM




↔ 248 cm ↘ 124cm ↓ 73cm
 ☐ 1,74 m³ △ 108kg ↻ 8,7mt

Cod. C1QT0




↔ 124 cm ↘ 124cm ↓ 73cm
 ☐ 0,87 m³ △ 56kg ↻ 7,1mt

Cod. U2R00




↔ 174 cm ↘ 124cm ↓ 41cm
 ☐ 0,91 m³ △ 51kg ↻ 5,5mt

Cod. U2R0G




↔ 199 cm ↘ 124cm ↓ 41cm
 ☐ 1,04 m³ △ 58kg ↻ 5,5mt

Cod. U3R00




↔ 224 cm ↘ 124cm ↓ 41cm
 ☐ 1,20 m³ △ 65kg ↻ 5,5mt

Cod. U3R0M



↔ 248 cm ↘ 124cm ↓ 41cm
 ☐ 1,30 m³ △ 71kg ↻ 5,5mt

Cod. U1Q00




↔ 124 cm ↘ 124cm ↓ 41cm
 ☐ 0,65 m³ △ 38kg ↻ 3,2mt

Cod. U2RT0




↔ 174 cm ↘ 124cm ↓ 41cm
 ☐ 0,91 m³ △ 51kg ↻ 5,5mt

Cod. U2RTG




↔ 199 cm ↘ 124cm ↓ 41cm
 ☐ 1,04 m³ △ 58kg ↻ 5,5mt

Cod. U3RT0




↔ 224 cm ↘ 124cm ↓ 41cm
 ☐ 1,20 m³ △ 65kg ↻ 5,5mt

Cod. U3RTM



↔ 248 cm ↘ 124cm ↓ 41cm
 ☐ 1,30 m³ △ 71kg ↻ 5,5mt


Cod. U1QT0



↔ 124 cm ↘ 124cm ↓ 41cm
 ☐ 0,65 m³ △ 38kg ↻ 3,2mt


SANDERS AIR MIX

Cod. ZH075




↔ 75 cm ↘ 33cm ↓ 35cm
 ☐ 0,16 m³ ▲ 14kg ⚡ 1,6mt

Cod. ZH105




↔ 105 cm ↘ 33cm ↓ 35cm
 ☐ 0,22 m³ ▲ 18kg ⚡ 1,6mt

Cod. ZS075




↔ 75 cm ↘ 33cm ↓ 35cm
 ☐ 0,16 m³ ▲ 14kg ⚡

Cod. ZS105




↔ 105 cm ↘ 33cm ↓ 35cm
 ☐ 0,22 m³ ▲ 18kg ⚡

Cod. ZM075



↔ 75 cm ↘ 33cm ↓ 35cm
 ☐ 0,16 m³ ▲ 14kg ⚡ 0,8mt

Cod. ZM105



↔ 105 cm ↘ 33cm ↓ 35cm
 ☐ 0,22 m³ ▲ 18kg ⚡ 0,8mt

Cod. ZC0C1



↔ 55 cm ↘ 15cm ↓ 55cm
 ☐ 0,06 m³ ▲ 2kg ⚡ 0,9mt

Cod. ZC0C2



↔ 45 cm ↘ 15cm ↓ 45cm
 ☐ 0,04 m³ ▲ 1,5kg ⚡ 0,7mt

Cod. ZC0H3



↔ 45 cm ↘ 15cm ↓ 35cm
 ☐ 0,02 m³ ▲ 0,7kg ⚡ 0,6mt

Cod. ZC0H4



↔ 50 cm ↘ 15cm ↓ 25cm
 ☐ 0,02 m³ ▲ 1kg ⚡ 0,6mt

Cod. ZC0H5



↔ 45 cm ↘ 15cm ↓ 36cm
 ☐ 0,03 m³ ▲ 0,5kg ⚡ 0,7mt

Cod. ZC0C6




↔ 50 cm ↘ 15cm ↓ 50cm
 ☐ 0,05 m³ ▲ 1,5kg ⚡ 0,9mt

Cod. ZCB00




↔ 32 cm ↘ 55cm ↓ 15cm
 ☐ 0,04 m³ ▲ 3kg ⚡ 0,8mt

Cod. K0004




↔ 298 cm ↘ 174cm ↓ 73cm
 ☐ 2,51 m³ ▲ 151kg ⚡ 19,3mt

Cod. K0005



↔ 348 cm ↘ 224cm ↓ 73cm
 ☐ 3,04 m³ ▲ 185kg ⚡ 17,4mt

Cod. K0006



↔ 323 cm ↘ 248cm ↓ 73cm
 ☐ 3,47 m³ ▲ 208kg ⚡ 24,3mt